

2021 LOOKBOOK

(PRODUCTS AT A GLANCE)

- SKID LOADERS
- TRACK LOADERS



For more information or specifications on a specific model please visit our website www.GEHL.com. Not all products are available in every region but we continue to innovate and release products to

fit the ever-changing construction, agriculture and rental industries.

Log online or visit your local dealer to test drive and experience the durability, hard-working, job-tested machines of GEHL.



PAGE 6-7 . . . Skid Loaders

PAGE 8-9 . . Track Loaders




BUILT ON A STRONG FOUNDATION

Starting in 1859 GEHL has been rooted in agriculture. Designing and building machines to help some of America's hardest workers. Many years later we are offering products world-wide that work just as hard as the people who own and operate our machines.

Over 160 years of partnering with farmers, construction workers, landscapers and businesses – large and small – to help move mountains and build a strong foundation of trust. We care about our operators. Safety and efficiency go into every machine we produce to help hard working people get home safe and hopefully even a little early.







LET'S GET ROLLIN'

With a countless number of brands and models we know shopping for a new machine can seem overwhelming. Start by considering all possible tasks and projects you'll be using your GEHL to complete. Next, think about the conditions. Weather, ground conditions, average run time and distance your machine will operate.

If you'll be lifting heavy material like asphalt, stone and concrete you'll be shopping on the larger capacity side. If you operate in a large variety of climates with longer run-time, you'll want an enclosed cabin with many more operator comforts. You'll thank yourself for that Bluetooth radio later.



PAGE 7



R165

Height to Hinge Pin-Fully Raised: 119" | 3023mm Rated Operating Capacity at 50%: 1,650lbs | 748kg Lift Path Geometry - Radial

R220

Height to Hinge Pin-Fully Raised: 123" | 3124mm Rated Operating Capacity at 50%: 2,200lbs | 998kg Lift Path Geometry - Radial



LAY YOUR OWN TRACKS

The worldwide track loader market is growing and many people are finding that track loaders perform better on harsh terrain. A track loader may be the right fit for you with low ground pressure, industry exclusive IdealTrax and the first patented fold-up entry door – IdealAccess.

Consider all the tasks, climate, hours and attachments that you may want to operate with your new machine. Low ground pressure on our track loaders make them perfect for working on turf or in wet and muddy conditions. Heat, air conditioning and an air-ride seat will go a long way to help with operator fatigue.





RT105

Height to Hinge Pin-Fully Raised: 109" | 2769mm Rated Operating Capacity at 35%: 1,050lbs | 476kg Lift Path Geometry - Radial

RT165

Height to Hinge Pin-Fully Raised: 119" | 3038mm Rated Operating Capacity at 35%: 1,650lbs | 748kg Lift Path Geometry - Radial









GEHL.COM



Manitou Americas, Inc.



P.O. Box 179 One Gehl Way



West Bend, WI, USA 53095



P: (262) 334-9461 F: (262) 338-7517